Public Safety Signage

Reassure your customers with clear and informative communication

Australia and New Zealand May 2020 Please keep your distance

Wait here until the next circle is available. 1 customer per spot.

Thank you!



During a time when social distancing is crucial for saving lives, Avery Dennison recognises the signage and marking needs for businesses.

From floor graphics that help maintain safe distances between people, to health and safety warning signs, and graphics that communicate vital information to the public, we are committed to supplying these important materials.





Restaurants & cafés

APAR

Please

Wait outside

we'll bring your order to you!

Address of the second

Contactless payment only り

 \bigcirc

ALLAN



Healthcare & Restrooms

Ð

0

Contactless payment only

0

Ð

A REPORT

2

HAND

sussey our designer

15

Public Transport

passes professor

Keep safe

1451. 1451. 137


4

- La

averyour the tres

Sug 1

R. LA



Signage Examples - Floor & Furniture



*Examples shown are for illustration only. Signage designs can be customised according to your requirements.

Signage Examples - Wall & Window





Our hours have changed Mon-Fri: 8am - 6pm Sat: 11am - 4pm

*Examples shown are for illustration only. Signage designs can be customised according to your requirements.

Product Guide

	Print	Overlaminate*	Finish	Comments
Floor Decals				
Outdoor	StreetRap	StreetLam	Textured	Matt white printable film for outdoor bitumen and concrete applications. Highly structured anti-slip PVC overlaminate that provides exceptional non-slip properties
		FloorGrip	Textured	Anti-slip clear matt laminate for indoor and outdoor floor applications. Highly structured polymeric calendered PVC film.
Dry Areas / Low traffic	MPI 3302 Easy Apply	DOL 3100 Matt	Matt	Gloss white opaque film available in removable, blockout and easy apply adhesive options Matt non-slip internal floor graphics overlaminate recommended for dry areas
Wet Areas / High traffic	MPI 3302 Easy Apply	DOL 6000 Floor	Textured	Gloss white opaque film available in removable, blockout and easy apply adhesive options Textured non-slip internal floor graphics overlaminate recommended for dry & occasional wet areas
Carpet areas	WW300	LUV 6300	Textured	Anti-slip laminate, sand texture PVC film for indoor floor graphics

* All floor overlaminates are tested and adheres to AS/NZS 4586:2013 Slip resistance standard classification for new pedestrian surfaces materials Please contact Avery Dennison technical representative for further interpretation on any floor decal applications

Wall Signage MPI 2611 Wall Film DOL 2100 Matt Matt Matt white opaque film available in a removable adhesive Standard cleaning Gloss white opaque film available in bubble free adhesive for JT 9500 WG-BFG LF 9500 CM Matt easy installation MPI 2611 Wall Film DOL 4300 Anti Graffiti Gloss Anti graffiti overlaminate that withstands harsher cleaning agents **Rigorous cleaning** JT 9500 WG-BFG LUV 7036 Gloss Gloss anti-graffiti laminate for walls

	Print	Overlaminate*	Finish	Comments
Self-install / Temporary	JT 8300 White Matt-RT Dot	_	Matt	With Dot patterned removable adhesive for DIY installation
Furniture Decals	6			
Fabric Seats	WW300	LF 8500 CM	Matt	Matt white opaque film for demanding surfaces available in Hi Tack adhesive
	MPI 3026 Supertack	DOL 3100 Matt	Matt	Matt white opaque film for demanding surfaces available in Supertack adhesive
Tabletops	MPI 2923 Easy Apply	DOL 2100 Matt	Matt	Matt white opaque film available in blockout easy apply adhesive

Windows & Transparent surfaces

Clear graphics	MPI 2041 Clear	DOL 2000 Gloss	Gloss	Gloss clear film available in removable adhesive options
Optically Clear	DS Print SR	_	Gloss	Optically clear film available in removable adhesive
Opaque graphics	MPI 2921 Easy Apply	DOL 2000 Gloss	Gloss	Matt white opaque film available in easy apply adhesive for easy installation
Self-install / Temporary	JT 8300 CG-RT Dot	_	Gloss	Clear gloss film with Dot patterned removable adhesive for DIY installation

Cleaning Recommendations

Cleaning of PVC Laminates

Avery Dennison films should not be cleaned or washed within the first 48 hours after application.

For cleaning of exterior floor graphics, the high-pressure equipment should not exceed 1200 psi (80 bars or 84 kg/cm2). A minimum distance of 30cm should be maintained to prevent decal edge lift.

Wear appropriate PPE (Personal Protective Equipment). For more information, please check your local government health guidelines.

These cleaning	Detergent / solutions: ie dishwashing liquids Detergent disinfection / disinfectants (chlorine- based) / antibacterial surface wipes - sprays		
products are recommended for use			
	Bleach (must be diluted following the instructions Of the manufacturer)	~	
0	Solvents	×	
These cleaning products are not	Solvents Powder or liquid abrasive cleaners	× ×	
0			

Frequently touched surfaces

Door handles, bedrails, tabletops, light switches

- Should be frequently, mechanically cleaned
- Detergent solution (as per manufacturer's instructions) or detergent/disinfectant wipes can be used (so long as mechanical cleaning is achieved)



Minimally touched surfaces

Floors, ceilings, walls, blinds

- Detergent solution/wipes (as per manufacturer's instructions) are adequate for cleaning general surfaces and non-patient care areas
- Damp mopping is preferable to dry mopping
- Walls and blind should be cleaned when visibly dusty or soiled
- Window curtains should be regularly changed in addition to be cleaned when soiled
- Sinks and basins should be cleaned on a regular basis

About Avery Dennison

Avery Dennison is a global materials science and manufacturing company specializing in the design and manufacture of a wide variety of labeling and functional materials. Our products are used in nearly every major industry.

Our Competitive Advantages

- Global scale; 180+ operating locations
- Recognized industry leader with a global footprint, including a strong presence in emerging markets
- Materials science capabilities focused on pressure-sensitive adhesives
- R&D and innovation breakthroughs that anticipate and meet market needs
- Innovative process technology
- Operational and commercial excellence

Why Avery Dennison Graphics?

- Self-adhesive material global experts for creative and technical support
- Global network of trained and certified application partners for compliance and conversion
- Unmatched color matching program to fulfill corporate identify requirements
- Backed by Integrated Warranty Systems for performance assurance

Why Mactac?

- Proven, trusted solutions. European leader, with over 50 years experience
- Supported by a strong network, Mactac pressure-sensitive adhesive products come in an extensive range of digital print and signage solutions

Australia & New Zealand

graphics.anz@ap.averydennison.com

Phone: 1800-888-560 (AU)

Phone: 09-573-0995 (NZ)





graphicsap.averydennison.com

f AveryDennisongrsanz

☑ mactac_apac⊕ mactacgraphics.eu



All statements, technical information and recommendations about Avery Dennison products are based upon tests and information believed to be reliable but do not constitute a guarantee or warranty of any kind. All Avery Dennison products are sold with the understanding that Purchaser has independently determined the suitability of such products for its intended and other purposes. © 2020 Avery Dennison Corporation. All rights reserved. Avery Dennison ® is a registered trademark of Avery Dennison Corporation. All other Avery Dennison brands, product names, antenna designs and codes or service programs are trademarks of Avery Dennison Corporation.