

Avery Dennison Graphics Solutions Product Overview

Australia & New Zealand September 2024

Impactful Paint Protection Film

Continuing the evolution of our next generation paint protection films, our upgraded SPF 1000, delivers extra paint protection where it is needed most.

At 200 microns, SPF 1000 is our thickest PPF, which offers even more protection with all our self-healing, stain resistance and hydrophobic X-Proof™ Topcoat performance. With a durability of 10 years it ensures the hardest working panels on any vehicle receive the protection they deserve.



Extra paint protection where it is needed most

A 200 micron thicker film, providing more protection and X-Proof[™] topcoat performance for the hardest working areas of any vehicle



10 year warranty

Designed and tested for our extreme environment, SPF 1000 is in it for the long haul and comes with a 10 year limited warranty across all zones.



Protect and preserve your vehicle's value

Ultra gloss, virtually invisible and non yellowing, SPF 1000 protects and preserves a vehicle's showroom quality finish by helping prevent wear and tear damage to the original factory paint.



Effortless self healing

X-Proof™ enhanced self-healing enables minor scratches and scuff marks to resolve with ambient heat.



Advanced stain resistance

Highly hydrophobic, the X-Proof[™] topcoat enables SPF 1000 to have easier cleaning and greater protection from environmental contaminants such as insect strikes, bird droppings and general fallout.

Avery Dennison Graphics Solutions **Product Overview**

Australia & New Zealand September 2024

Product Range

	SPF 1000	Supreme [™] PPF Xtreme Gloss	Supreme [™] PPF Xtreme Satin	Supreme [™] PPF Ultima
Finish	High Gloss	High Gloss	Satin	High Gloss
Warranty [*]	10 years	10 years	10 years	5 years
Thickness	200 micron	160 micron	152 micron	135 micron
Topcoat technology	XProof™	XProof ^{™+} RAPID EDGE [™]	XProof [™] + RAPID EDGE [™]	XProof™

^{*} Limited warranty. Warranty coverage for all Asia Pacific, regardless of orientation or zone.





For more information, contact Avery Dennison customer service or your sales representative, or visit graphicsap.averydennison.com

Connect with us on: in









DISCLAIMER - All Avery Dennison statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Avery Dennison products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Avery Dennison's products are sold subject to Avery Dennison's general terms and conditions of sale, see http://terms.averydennison.com. © 2024 Avery Dennison Corporation. All rights reserved, Avery Dennison and all other Avery Dennison brands, this publication, its contents and product names and codes are owned by Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. This publication must not be used, copied or reproduced in whole or in part of purposes other than marketing by Avery Dennison.